



Atomic/Molecular Modulation Transfer Frequency Stabilization Module

Precilasers has launched an integrated laser frequency stabilization controller for portable systems. The integrated controller integrates a frequency stabilization optical path and a locking controller. Users only need to input the laser to be stabilized through an optical fiber jumper to achieve laser frequency stabilization. The frequency stabilization controller has an integrated optical path module, which ensures the full fiber connection of the optical path. The integrated optical path module can be used to generate spectral lines such as saturation absorption spectrum or modulation transfer spectrum. Depending on the different atomic absorption cells in the optical path, the module can be used for frequency stabilization of 780nm, 852nm, 532nm and other different wavelength lasers.

• Features

- High Frequency Stability
- Portable
- All-fiber Frequency-Stabilized Optical Path

Applications

- Optical Precision Measurement
- Quantum Computing
- Quantum Precision Measurement



Specification

Partnumber	Preci-MTS-I ₂	Preci-MTS-Rb	Preci-MTS-Cs
Spectral Line Generation Method	Modulation transfer spectroscopy		
Modulation Frequency	2-30MHz digitally adjustable		
De-modulation Phase	0-360° digitally adjustable		
Error Signal Amplitude	> 200mVpp		
Optical Packing	All-fiber structure		
Spectrum Generation	Built-in I ₂ Cell	Built-in Rb Cell	Built-in Cs Cell
Input	Single-mode polarization-maintaining fiber input, FC/APC connector		
Operation Mode (feedback control signal output)	>20mW 532/633nm input	3mW 780nm input	3mW 852nm input,
Configuration	Include PD, I ₂ /Rb/Cs Cell, EOM, modulation and demodulation circuit		
Locking Accuracy	< ±100kHz@24h		

❖ Product Dimensions

